



## Specification:

### Two axle low-plate semi-trailer

**Model:** TAZ9300TDP



(THE PICTURE IS ONLY FOR REFERENCE)

The trailer is designed for stevedoring and transporting engineer machines.

### **Dimension & Weight:**

**Total Length:** 13,450mm (including Ladder)

**Width:** 3,100 mm

**Overall Height:** 2800mm

**Loading Platform Height:** 1300mm

**King Pin Location:** One positions on 400mm from the front face of the front bolster

**Loading Dimensions:** 9000×3100

**Wheelbase:** 9500mm + 1,310mm

**Tare Weight (Tolerance 0~-4%):** approximate 9,000kg

**Payload:**21,000kg



**King Pin:** . 3.5'' . Made in China

**Landing Gear:** FUWA FW280011T Made in China

**Suspension:** Two axles,FW86.21/250/BQ6/9 ,90Width \*9 Pieces\*16 Thickness

**Axle:** Two axles, FUWA brand,13000kg class made in China.

**Tires:** 12.00R20, .Made in China

**Brake System:** Dual air brake system, No ABS brake system, Made in China

**Electrical System:** 24 volt lighting system,

**Front mark light:** white ,

**Side mark lamp:** amber,

**Rear lamp:** white;

**Turn signal lamp:** amber.

**Main beam:** Q345 Mn steel plate; 550mm deep x 200mm wide x 14mm web welded I-section main beams. The thickness of top flange is 18mm, the bottom flange is 18mm.

**Side beam :** 20# channel steel;

**The platform floor:** checkered pate 4mm;

**Others:**

**Spare Tire & Carrier:**without spare tire, 2 pieces spare tire carrier,

**Side Guard:** None steel standard

**Tool Box:** equipped one set,

**Color of Painting:** optional

**Marking:** sinotrucktrailer standard.

Note:

(1):All the details not mentioned above should be comply with Chinese Standard.

(2):These specifications are given as information, SINOTRUCKTREAILERS have right to change them without previous notice.

