



**Specification:**

**Three low-plate semi-trailer**

**Model:** TAZ9500DP



(THE PICTURE IS ONLY FOR REFERENCE)

The trailer is designed for stevedoring and transporting engineer machines.

**Dimension & Weight:**

**Total Length:** 13,450mm (Excluding Ladder)

**Width:** 3,300mm

**Height:** 2800mm

**Height of Loading Platform:** 1300mm @ unload

**King Pin Location:** One positions on 500mm from the front face of the front bolster

**Loading Dimensions:** 9000×3300×1300

**Wheelbase :** 8600+1310+1310mm

**Tare Weight (Tolerance 0~-4%):** approximate 65000kg

**Payload:** 40000kg



**中国重汽集团泰安五岳专用汽车有限公司**

CHINA NATIONAL HEAVY DUTY TRUCK GROUP TAIAN WUYUE SPECIAL VEHICLE CO.,LTD.

[www.sinotrucktrailer.com](http://www.sinotrucktrailer.com)

**King Pin:** . 3.5'' . Made in China

**Landing Gear:** FUWA FW280011T Made in China

**Suspension:** FW86.31/250/BQ6/9 90Width \*9 Pieces\*16 Thickness Made in China

**Axle:** Three axles, FUWA brand, 13000kg class made in China.

**Tires:** 12.00R20, 12 pieces, Made in China

**Brake System:** Dual air brake system, Made in China

**Electrical System:** 24 volt lighting system

**Front mark light:** white ,

**Side mark lamp:** amber,

**Rear lamp:** white;

**Main structure:** Q345 Mn steel plate; 550mm deep x200mm wide x 16mm web welded I-section main beams. The thickness of top flange is 20mm, the bottom flange is 20mm.

---

#### **Others:**

**Spare Tire & Carrier:**. without Spare Tire, 2 PCS spare tire Carrier.

**Side Guard:** None.

**Tool Box:** one set,

**Color of Painting:** optional

**Marking:** SINOTRUCKTRAILER standard.

Note:

(1):All the details not mentioned above should be comply with Chinese Standard.

(2):These specifications are given as information, SINOTRUCKTREAILERS have right to change them without previous notice.

