

Specification:

50T Heavy duty Low bed Semi-trailer Model:TAZ9650



(THE PICTURE IS ONLY FOR REFERENCE)

Dimension & Weight:

÷

Total Length: 13200mm (Excluding Ladder) Width: 3280mm Height:2800mm Height of Loading Platform: 1350mm King Pin Location: One positions on 400mm from the front face of the front bolster Loading Dimensions: 8700x3280mm Axle spacer: 7000+ 1400+1400+1400mm Tare Weight (Tolerance 0~-4%): approximate 15000kg Payload:38000kg



King Pin: . 3.5". Made in China
Landing Gear: FW280022S
Suspension: 50T
Axle: Four axle 12000kg class made in China.
Tires: 12.00R22.5, Made in China
Brake System: Dual air brake system, Made in China
Electrical System: 24 volt lighting system,
Front mark light: white ,
Side mark lamp: amber,
Rear lamp: white;
Main structure:HJ58; 490mm deep x 300mm wide x 8mm web welded

I -section main beams. The thickness of top flange is 20mm, the bottom flange is 20mm.

Others:

Spare Tire & Carrier: without spare tire,1 pieces,
Side Guard: None.
Tool Box: one set,
Color of Painting: optional
Marking: sinotruk, no Chinese character

